#### Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the application.

# Listing of Claims

1. (Currently amended) A device for introducing forces into a luggage stowage compartment in a vehicle and for distributing the forces, comprising:

a ceiling-side connecting element arranged between and connected to extensions of end-side side walls of the luggage stowage compartment,

the extensions each being configured as an upwardly projecting bracket of the end-side side wall, aligned to the each extension being arranged in a same plane as the respective end-side side walls wall of the luggage stowage compartment, and

the connecting element being configured as a ledge having a fiber-reinforced synthetic material construction, the ledge being of L-shaped cross section and being fastened by an adhesive to a ceiling wall of the luggage stowage compartment in at least two locations thereof so as to be unshiftable in a longitudinal direction thereof; and

a force-introducing element provided on the bracket of the side wall of the luggage stowage compartment, the force-introducing element being a bushing.

## 2-6. (Canceled)

- 7. (Previously presented) The device according to claim 1, wherein the connecting element is integrated in the luggage stowage compartment.
- 8. (Previously presented) The device according to claim 1, further comprising a bottom carrier provided on a bottom side of the luggage stowage compartment for the distribution of the forces.

## 9. (Canceled)

- 10. (Previously presented) The device according to claim 1, wherein the connecting element has a fiber-glass-reinforced synthetic material construction.
- 11. (Previously presented) The device according to claim 1, wherein the connecting element has a carbon-fiber-reinforced synthetic material construction.
- 12. (Previously presented) The device according to claim 1, wherein the adhesive is a glue.

13. (Previously presented) The device according to claim 1, wherein the ledge is fastened to a ceiling wall of the luggage stowage compartment.

#### 14. (Canceled)

15. (Currently amended) A luggage stowage compartment for a vehicle, comprising:

end-side side walls;

- a top wall;
- a bottom;

a ceiling-side ledge configured to distribute forces transmitted to the compartment, the ledge having an L-shaped cross section, a fiber-reinforced synthetic material construction, and being adhered to the top wall and connected to the side walls,

the side walls each including a bracket aligned to that is an extension of the side wall and that is arranged in a same plane as the respective end-side side walls wall of the luggage stowage compartment, the bracket projecting upward beyond the top wall and connecting to the ledge; and

a force-introducing element provided on the bracket of the side wall of the luggage stowage compartment, the force-introducing element being a bushing.

16. (Previously presented) The compartment according to claim 15, wherein the ledge has a carbon-fiber-reinforced synthetic material construction.